

## WPC(PVC)发泡板 WPC(PVC) Foam Board

## WPC(PVC)发泡板 WPC(PVC) Foam Board















## PYC FOAM BOARD WPC FORM BOARD











#### Specification:

Size: 1220\*2440mm, 915\*1830mm(or customized) Thickness: 3-20mm

Density: 0.35-0.85a/cm3

Color: white, black, red, yellow, blue, green, pink, orange

Surface:matte or glossy

Make life getting Better & My Life Getting Better



## WPC(PVC)发泡板 WPC(PVC) Foam Board

## WPC(PVC)发泡板 WPC(PVC) Foam Board



#### Product features









#### - Advantages & Characters-

Environmental Friendly:

\*No any henzene and the formaldehyde discharge Non-toxic

\*Sound-insulated

Energy Saving

\*Made from the waste lumber, so can get hige-usage of the lumber

\*High recyclable eco-friendly saving forest resources

Good Appearance:

\*The surface is smooth

\*with the look of the natural wood but less timber problems

\*Amazing colors and rich in colors. High glossy and matte is available

Adaptability

 $\hbox{*Waterproof, no moisture absorption, no mildew, less rotten, proven under salt water condition} \\$ 

\*Weather resistant, suitable from minus – 30 to 90 centigrade degree,

\*Fire retardant and self-extinguishing, automatically extinguish by itself and meet the standard of GB/B1

\*Heat insulation and heat preservation, In the physical characteristics, it has a low thermal conductivity as the lumber, which means it can prevent heat in summer and keep heat in winter.

\*Borer proof,WPC can get rid of insect,Well done of termites and so on

\*Perfect chemical resistance, good resistance to light and UV Good Mechanical Performance:

Good Mechanical Performance:

\*Easy to cut, easy be edge-covered in machine

\*Easy to nail, hammered, drilled, sawed, turned, glued, bended, printed, oiled, thermoforming

\*Fasy to clean

\*Tough, rigid with the high impact strength less crack less break and less warning

\*Requires no painting, Stable color retention, no glue, low maintenance











# ★ 木塑家具板 WPC Furniture Board

## 木塑家具板 WPC Furniture Board



#### WPC FOAM BOARD

HPL film Surface

PVC film Surface

Hot Stamping film Surface



#### Application:

Furniture board

Cabinet board

Door board

Decoration board



#### Specification:

Size: 1220\*2440mm Base Board: WPC FOAM BOARD Surface: Lamination or hot stamping Thickness: 3-20mm Density: 0.5-0.7g/cm3

Surface with HPL film, PVC film, Acrylic film,hot stamping film















## 木塑建筑模板 WPC Shutteirng Board

## 木塑建筑模板 **WPC Shuttering Board**



























#### **WPC Formwork Panel Buliding Templates**

Specification: Size: 1220\*2440mm 915\*1830mm

Thickness: 6-20mm

Density: 0.7/0.75g/cm3 Color: Dark green black red white

#### Advantages in building construction- formwork board

- 2. Adjustable size. The board size is adjustable according to the requirement from the builder.
- 3. Shiny and Smooth surface. The concrete is with smooth surface after stripped
- 4. Steady quality. The wpc board is with very good mechanical strength, It can work well in -20 to100 degree.
- 6. Product attribution is good, wpc board is antisepticise, inflaming retarding and waterproof.
- 8. Lower cost. Turnover can be up to over 20-30 times, so deeply reduce the cost.